

V^o.6

Issue 2

JUNE 2011 IN THIS ISSUE

The article “Institutional, provider, and patient correlates of low-density lipoprotein and non-high-density lipoprotein cholesterol goal attainment according to the Adult Treatment Panel III guidelines” appeared in the June 2011 issue of the *American Heart Journal*. The authors, all from the Health Policy and Quality Program of the Houston VA Health Services Research and Development Center of Excellence and/or Baylor College of Medicine, are: Salim S. Virani, M.D.; Lechauncy D. Woodard, M.D., M.P.H.; Cassie R. Landrum, M.P.H.; Kenneth Pietz, Ph.D.; Degang Wang, Ph.D.; Christie M. Ballantyne, M.D.; and Laura A. Petersen, M.D., M.P.H.

Virani also authored the article “Non-HDL cholesterol as a metric of good quality of care: Opportunities and challenges” in the March 2011 issue of the *Texas Heart Institute Journal*.

Virani was one of nine authors for the abstract “Barriers to non-HDL cholesterol goal attainment by providers” in the May 2011 issue of the *Journal of Clinical Lipidology*.



BCM

Baylor College of Medicine

HEALTH POLICY research

James A. Baker III Institute for Public Policy-Baylor College of Medicine
Joint Program in Health Policy Research

Have practice guidelines led to optimal management of non-HDL cholesterol?

No, because many practitioners are unaware of or don't consistently implement the guidelines, says Salim Virani, M.D., a researcher and physician at the Michael E. DeBakey Veterans Affairs (VA) Medical Center, who studies non-HDL (high-density lipoprotein) cholesterol, a measurement that can be obtained from any standard cholesterol panel by subtracting the good cholesterol (HDL-C) from total cholesterol. Many studies have shown non-HDL cholesterol to be a more powerful predictor of future risk of heart disease than the traditional bad cholesterol (LDL or low-density lipoprotein cholesterol) because it includes all forms of bad cholesterol, including LDL cholesterol. The use of non-HDL cholesterol is also cost-effective because it can be calculated from any standard lipid panel, and does not require specialized testing.

The non-HDL cholesterol concept was introduced into the National Adult Treatment Panel III cholesterol management guidelines in 2001. But only half of the 354 internal medicine, family practice, endocrinology and cardiology providers responding to a survey were able to calculate non-HDL cholesterol when provided with a standard lipid panel. In addition, only one-third knew the treatment goals for non-HDL cholesterol as defined by the guidelines.

“Providers are faced with a large number of guidelines to read and implement in clinical practice; the number of these guidelines alone may lead to cognitive overload, and serve as a barrier to effective implementation,” says Virani, who is also affiliated with Baylor College of Medicine. “This is evident from the fact that almost half of the providers in our study also reported that they had not read the cholesterol management guidelines despite having a high proportion of patients with cholesterol disorders.”

This gap has significant implications for patients. A separate study of 21,801 patients with heart disease receiving care in one Midwest VA network found that 80 percent of patients attained LDL cholesterol treatment goals, but the percentage of patients attaining non-HDL cholesterol treatment goals was only 50 percent.

Noting a 2001 Institute of Medicine report suggesting it takes 17 years for new knowledge to be incorporated into clinical practice, Virani favors policy that bridges the gap between evidence and practice by positively influencing provider behavior. Instead of relying on professional journals or manuals to communicate best practices in a timely manner, he supports more active efforts — such as academic detailing of guidelines by experts, audit and feedback strategies on provider performance, and the use of decision support systems to aid providers in making more evidence-based choices for patient management.

Including non-HDL cholesterol levels and treatment goals on standard lipid panel results from laboratories would also be useful, so that providers don't have to do a manual calculation.

“Our preliminary work has shown that steps as simple as reporting the calculation of this cholesterol parameter on standard lipid panel results can lead to some improvements in goal attainment for non-HDL cholesterol,” Virani says. “This reporting is simple, does not cost anything extra to the system, and is endorsed by organizations like the National Lipid Association, American College of Cardiology and the American Diabetes Association.”

American Heart J, June 2011, 161(6):1140-6.

Tex Heart Inst J, 2011, 38(2): 160-2.

J Clin Lipid, 2011, 5(3): 211-213.

HEALTH POLICY research presents a summary of findings on current health policy issues. It is provided by the James A. Baker III Institute for Public Policy's Health Economics Program in collaboration with the Baylor College of Medicine's Section of Health Services Research in the Department of Medicine.

This publication is provided to make research results accessible to regional and national health policymakers. The views expressed herein are those of the study authors and do not necessarily represent those of the Baker Institute or of the Baylor College of Medicine.

The Baker Institute and the Baylor College of Medicine's Section of Health Services Research work with scholars from across Rice University and the Baylor College of Medicine to address issues of health care — access, financing, organization, delivery and outcomes. Special emphasis is given to issues of health care quality and cost.

Rice University
James A. Baker III Institute for Public Policy MS-40
Program in Health Economics
P.O. Box 1892
Houston, Texas 77251-1892

For further information about the program, please contact:

Vivian Ho, Ph.D.

James A. Baker III Institute Chair in Health Economics
James A. Baker III Institute for Public Policy
Rice University MS-40
P.O. Box 1892
Houston, Texas 77251-1892
phone: 713.348.2195
e-mail: vho@rice.edu

Laura Petersen, M.D., M.P.H.

Chief, Section of Health Services Research
Department of Medicine
Baylor College of Medicine
Michael E. DeBakey VA Medical Center (152)
2002 Holcombe Boulevard
Houston, Texas 77030
phone: 713.794.8623
e-mail: laurap@bcm.edu

ACCESS

FINANCING

ORGANIZATION

DELIVERY

OUTCOMES



HEALTH POLICY **research**

James A. Baker III Institute for Public Policy-Baylor College of Medicine
Joint Program in Health Policy Research

<http://healthpolicy.rice.edu>

Volume 6, Issue 2, June 2011

BCM
Baylor College of Medicine

